

経歴（学歴および職歴）

1981 十勝 帯広柏葉高等学校 卒業
1987 旭川医科大学医学部 卒業
1991 旭川医科大学医学部 大学院 卒業

旭川医科大学 第一内科（1987-）

米国 コロンビア大学 薬理学 ポスドク（1991-）
米国 ハーバード大学 循環器内科 講師（1994-）
米国 ペンシルベニア州立大学 分子生物内科 准教授（2000-）
米国 ニュージャージ医歯科大学 循環器内科 准教授（2001-）
旭川医科大学 心血管再生先端医療開発講座 特任准教授（2008-）
旭川医科大学 心血管再生先端医療開発講座 特任教授（2016-）
旭川医科大学 生化学講座 教授（2019-現在）

所属学会

日本血管生物医学会（評議員）
日本生化学学会
日本分子生物学会
日本心脈管作動物質学会（評議員）
日本循環器学会
日本内科学会

主要な著書・論文など（2019現在）

- [1] Y. Yoshida, M. Kabara, K. Kano, K. Horiuchi, T. Hayasaka, Y. Tomita, N. Takehara, A. Minoshima, T. Aonuma, K. Maruyama, N. Nakagawa, N. Azuma, N. Hasebe, J.I. Kawabe, Capillary-Resident EphA7(+) Pericytes Are Multipotent Cells with Anti-Ischemic Effects Through Capillary Formation, *Stem Cells Transl Med* (2019).
- [2] Y. Tomita, K. Horiuchi, K. Kano, T. Tatsukawa, R. Matsuo, T. Hayasaka, Y. Yoshida, M. Kabara, S. Yasuda, K. Nakajima, N. Nakagawa, N. Takehara, A. Okizaki, N. Hasebe, J.I. Kawabe, Ninjurin 1 mediates peripheral nerve regeneration through Schwann cell maturation of NG2-positive cells, *Biochem Biophys Res Commun* 519 (2019) 462-468.
- [3] A. Minoshima, M. Kabara, M. Matsuki, Y. Yoshida, K. Kano, Y. Tomita, T. Hayasaka, K. Horiuchi, Y. Saito, T. Aonuma, M. Nishimura, K. Maruyama, N. Nakagawa, J. Sawada, N. Takehara, N. Hasebe, J.I. Kawabe, Pericyte-Specific Ninjurin1 Deletion Attenuates Vessel Maturation and Blood Flow Recovery in Hind Limb Ischemia, *Arterioscler Thromb Vasc Biol* 38 (2018) 2358-2370.
- [4] T. Aonuma, N. Takehara, K. Maruyama, M. Kabara, M. Matsuki, A. Yamauchi, J. Kawabe, N. Hasebe, Apoptosis-Resistant Cardiac Progenitor Cells Modified With Apurinic/Apyrimidinic Endonuclease/Redox Factor 1 Gene Overexpression Regulate Cardiac Repair After Myocardial Infarction, *Stem Cells Transl Med* 5 (2016) 1067-1078.

- [5] H. Ota, N. Takehara, T. Aonuma, M. Kabara, M. Matsuki, A. Yamauchi, T. Takeuchi, J. Kawabe, N. Hasebe, Association between Microalbuminuria Predicting In-Stent Restenosis after Myocardial Infarction and Cellular Senescence of Endothelial Progenitor Cells, *PLoS One* 10 (2015) e0123733.
- [6] Y. Minami, T. Sasaki, H. Bochimoto, J. Kawabe, S. Endo, Y. Hira, T. Watanabe, S. Okumura, N. Hasebe, Y. Ohsaki, Prostaglandin I2 analog suppresses lung metastasis by recruiting pericytes in tumor angiogenesis, *Int J Oncol* 46 (2015) 548-554.
- [7] M. Matsuki, M. Kabara, Y. Saito, K. Shimamura, A. Minoshima, M. Nishimura, T. Aonuma, N. Takehara, N. Hasebe, J.I. Kawabe, Ninjurin1 Is a Novel Factor to Regulate Angiogenesis Through the Function of Pericytes, *Circ J* (2015).
- [8] N. Sakamoto, N. Sato, M. Goto, M. Kobayashi, N. Takehara, T. Takeuchi, A.K. Talib, E. Sugiyama, A. Minoshima, Y. Tanabe, K. Akasaka, J. Kawabe, Y. Kawamura, A. Doi, N. Hasebe, Three cases of corticosteroid therapy triggering ventricular fibrillation in J-wave syndromes, *Heart Vessels* 29 (2014) 867-872.
- [9] T. Noro, N. Takehara, K. Sumitomo, T. Takeuchi, Y. Ishii, J. Kato, J. Kawabe, N. Hasebe, Initial reduction of oxidative stress by angiotensin receptor blocker contributes long term outcomes after percutaneous coronary intervention, *Am J Cardiovasc Dis* 4 (2014) 159-167.
- [10] J. Kawabe, N. Hasebe, Role of the vasa vasorum and vascular resident stem cells in atherosclerosis, *Biomed Res Int* 2014 (2014) 701571.
- [11] M. Kabara, J. Kawabe, M. Matsuki, Y. Hira, A. Minoshima, K. Shimamura, A. Yamauchi, T. Aonuma, M. Nishimura, Y. Saito, N. Takehara, N. Hasebe, Immortalized multipotent pericytes derived from the vasa vasorum in the injured vasculature. A cellular tool for studies of vascular remodeling and regeneration, *Lab Invest* 94 (2014) 1340-1354.
- [12] K. Izawa, M. Okada, K. Sumitomo, N. Nakagawa, Y. Aizawa, J. Kawabe, K. Kikuchi, N. Hasebe, Impaired glutathione redox system paradoxically suppresses angiotensin II-induced vascular remodeling, *PLoS One* 9 (2014) e108115.
- [13] A. Asanome, J. Kawabe, M. Matsuki, M. Kabara, Y. Hira, H. Bochimoto, A. Yamauchi, T. Aonuma, N. Takehara, T. Watanabe, N. Hasebe, Nerve growth factor stimulates regeneration of perivascular nerve, and induces the maturation of microvessels around the injured artery, *Biochem Biophys Res Commun* 443 (2014) 150-155.
- [14] A. Yamauchi, J. Kawabe, M. Kabara, M. Matsuki, A. Asanome, T. Aonuma, H. Ohta, N. Takehara, T. Kitagawa, N. Hasebe, Apurinic/apyrimidinic endonucelase 1 maintains adhesion of endothelial progenitor cells and reduces neointima formation, *Am J Physiol Heart Circ Physiol* 305 (2013) H1158-1167.
- [15] Y. Aburakawa, J. Kawabe, M. Okada, A. Yamauchi, A. Asanome, M. Kabara, M. Matsuki, N. Takehara, N. Nakagawa, S. Okumura, Y. Minami, Y. Mizukami, K. Yuhki, F. Ushikubi, N. Hasebe, Prostacyclin stimulated integrin-dependent angiogenic effects of endothelial progenitor cells and mediated potent circulation recovery in ischemic hind limb model, *Circ J* 77 (2013) 1053-1062.
- [16] N. Nakagawa, K. Yuhki, J. Kawabe, T. Fujino, O. Takahata, M. Kabara, K. Abe, F. Kojima, H. Kashiwagi, N. Hasebe, K. Kikuchi, Y. Sugimoto, S. Narumiya, F.

- Ushikubi, The intrinsic prostaglandin E2-EP4 system of the renal tubular epithelium limits the development of tubulointerstitial fibrosis in mice, *Kidney Int* 82 (2012) 158-171.
- [17] K. Yuhki, F. Kojima, H. Kashiwagi, J. Kawabe, T. Fujino, S. Narumiya, F. Ushikubi, Roles of prostanoids in the pathogenesis of cardiovascular diseases: Novel insights from knockout mouse studies, *Pharmacol Ther* 129 (2011) 195-205.
- [18] N. Nakagawa, H. Ota, Y. Tanabe, M. Kabara, M. Matsuki, J. Chinda, N. Sakamoto, T. Fujino, N. Takehara, T. Takeuchi, J. Kawabe, N. Sato, Y. Kawamura, T. Fukuhara, K. Ikuta, K. Kikuchi, N. Hasebe, A case of idiopathic systemic capillary leak syndrome with high serum levels of G-CSF on exacerbation, *Intern Med* 50 (2011) 597-600.
- [19] N. Nakagawa, H. Maruyama, T. Ishihara, U. Seino, J. Kawabe, F. Takahashi, M. Kobayashi, A. Yamauchi, Y. Sasaki, N. Sakamoto, H. Ota, Y. Tanabe, T. Takeuchi, T. Takenaka, K. Kikuchi, N. Hasebe, Clinical and genetic investigation of a Japanese family with cardiac fabry disease. Identification of a novel alpha-galactosidase A missense mutation (G195V), *Int Heart J* 52 (2011) 308-311.
- [20] K. Yuhki, H. Kashiwagi, F. Kojima, J. Kawabe, F. Ushikubi, Roles of prostanoids in the pathogenesis of cardiovascular diseases, *Int Angiol* 29 (2010) 19-27.
- [21] J. Kawabe, K. Yuhki, M. Okada, T. Kanno, A. Yamauchi, N. Tashiro, T. Sasaki, S. Okumura, N. Nakagawa, Y. Aburakawa, N. Takehara, T. Fujino, N. Hasebe, S. Narumiya, F. Ushikubi, Prostaglandin I2 promotes recruitment of endothelial progenitor cells and limits vascular remodeling, *Arterioscler Thromb Vasc Biol* 30 (2010) 464-470.
- [22] J. Kawabe, F. Ushikubi, N. Hasebe, Prostacyclin in vascular diseases. - Recent insights and future perspectives, *Circ J* 74 (2010) 836-843.
- [23] N. Tashiro, N. Sato, A.K. Talib, A.K. Talib, E. Saito, M. Okura, M. Yamaki, N. Nakagawa, N. Sakamoto, H. Ota, Y. Tanabe, T. Takeuchi, K. Akasaka, J. Kawabe, Y. Kawamura, N. Hasebe, Brugada syndrome case: difficult differentiation between a concealed form and tricyclic antidepressant-induced Brugada sign, *Intern Med* 48 (2009) 1535-1539.
- [24] S. Okumura, D.E. Vatner, R. Kurotani, Y. Bai, S. Gao, Z. Yuan, K. Iwatsubo, C. Ulucan, J. Kawabe, K. Ghosh, S.F. Vatner, Y. Ishikawa, Disruption of type 5 adenylyl cyclase enhances desensitization of cyclic adenosine monophosphate signal and increases Akt signal with chronic catecholamine stress, *Circulation* 116 (2007) 1776-1783.
- [25] J. Kawabe, S. Okumura, M.A. Nathanson, N. Hasebe, Y. Ishikawa, Caveolin regulates microtubule polymerization in the vascular smooth muscle cells, *Biochem Biophys Res Commun* 342 (2006) 164-169.
- [26] K. Yuhki, J. Kawabe, F. Ushikubi, Fat, keeping the heart healthy?, *Nat Med* 11 (2005) 1048-1049.
- [27] M. Okada, N. Hasebe, Y. Aizawa, K. Izawa, J. Kawabe, K. Kikuchi, Thermal treatment attenuates neointimal thickening with enhanced expression of heat-shock protein 72 and suppression of oxidative stress, *Circulation* 109 (2004) 1763-1768.

- [28] J. Kawabe, S. Okumura, M.C. Lee, J. Sadoshima, Y. Ishikawa, Translocation of caveolin regulates stretch-induced ERK activity in vascular smooth muscle cells, *Am J Physiol Heart Circ Physiol* 286 (2004) H1845-1852.
- [29] S. Okumura, G. Takagi, J. Kawabe, G. Yang, M.C. Lee, C. Hong, J. Liu, D.E. Vatner, J. Sadoshima, S.F. Vatner, Y. Ishikawa, Disruption of type 5 adenylyl cyclase gene preserves cardiac function against pressure overload, *Proc Natl Acad Sci U S A* 100 (2003) 9986-9990.
- [30] S. Okumura, J. Kawabe, A. Yatani, G. Takagi, M.C. Lee, C. Hong, J. Liu, I. Takagi, J. Sadoshima, D.E. Vatner, S.F. Vatner, Y. Ishikawa, Type 5 adenylyl cyclase disruption alters not only sympathetic but also parasympathetic and calcium-mediated cardiac regulation, *Circ Res* 93 (2003) 364-371.
- [31] T. Iwamoto, S. Okumura, K. Iwatubo, J. Kawabe, K. Ohtsu, I. Sakai, Y. Hashimoto, A. Izumitani, K. Sango, K. Ajiki, Y. Toya, S. Umemura, Y. Goshima, N. Arai, S.F. Vatner, Y. Ishikawa, Motor dysfunction in type 5 adenylyl cyclase-null mice, *J Biol Chem* 278 (2003) 16936-16940.
- [32] T. Fujino, N. Hasebe, J. Kawabe, M. Fujita, J. Fukuzawa, K. Tobise, K. Kikuchi, Effect of beta-adrenoceptor antagonist and angiotensin-converting enzyme inhibitor on hypertension-associated changes in adenylyl cyclase type V messenger RNA expression in spontaneously hypertensive rats, *J Cardiovasc Pharmacol* 41 (2003) 720-725.
- [33] T. Matsusaka, N. Hasebe, Y.T. Jin, J. Kawabe, K. Kikuchi, Magnesium reduces myocardial infarct size via enhancement of adenosine mechanism in rabbits, *Cardiovasc Res* 54 (2002) 568-575.
- [34] J.I. Kawabe, B.S. Grant, M. Yamamoto, C. Schwencke, S. Okumura, Y. Ishikawa, Changes in caveolin subtype protein expression in aging rat organs, *Mol Cell Endocrinol* 176 (2001) 91-95.
- [35] Y. Aizawa, J. Kawabe, N. Hasebe, N. Takehara, K. Kikuchi, Pioglitazone enhances cytokine-induced apoptosis in vascular smooth muscle cells and reduces intimal hyperplasia, *Circulation* 104 (2001) 455-460.
- [36] N. Takehara, J. Kawabe, Y. Aizawa, N. Hasebe, K. Kikuchi, High glucose attenuates insulin-induced mitogen-activated protein kinase phosphatase-1 (MKP-1) expression in vascular smooth muscle cells, *Biochim Biophys Acta* 1497 (2000) 244-252.
- [37] J. Kawabe, Y. Aizawa, N. Takehara, N. Hasebe, K. Kikuchi, Glucose modifies the cross-talk between insulin and the beta-adrenergic signalling system in vascular smooth muscle cells, *J Hypertens* 18 (2000) 1457-1464.
- [38] T. Ebina, J. Kawabe, T. Katada, S. Ohno, C.J. Homcy, Y. Ishikawa, Conformation-dependent activation of type II adenylyl cyclase by protein kinase C, *J Cell Biochem* 64 (1997) 492-498.
- [39] G. Iwami, J. Kawabe, T. Ebina, P.J. Cannon, C.J. Homcy, Y. Ishikawa, Regulation of adenylyl cyclase by protein kinase A, *J Biol Chem* 270 (1995) 12481-12484.
- [40] G. Iwami, M. Akanuma, J. Kawabe, P.J. Cannon, C.J. Homcy, Y. Ishikawa, Multiplicity in type V adenylylcyclase: type V-a and type V-b, *Mol Cell Endocrinol* 110 (1995) 43-47.
- [41] J. Kawabe, G. Iwami, T. Ebina, S. Ohno, T. Katada, Y. Ueda, C.J. Homcy, Y. Ishikawa, Differential activation of adenylyl cyclase by protein kinase C

- isoenzymes, J Biol Chem 269 (1994) 16554-16558.
- [42] J. Kawabe, T. Ebina, S. Ismail, D.B. Kitchen, C.J. Homcy, Y. Ishikawa, A novel peptide inhibitor of adenylyl cyclase (AC). A peptide from type V AC directly inhibits AC catalytic activity, J Biol Chem 269 (1994) 24906-24911.
- [43] Y. Ogawa, J. Kawabe, S. Onodera, K. Tobise, K. Morita, T. Harada, T. Hirayama, A. Takeda, Role of endothelium in biphasic hypoxic response of the isolated pulmonary artery in the rat, Jpn Circ J 57 (1993) 228-236.
- [44] S. Katsushika, J. Kawabe, C.J. Homcy, Y. Ishikawa, In vivo generation of an adenylylcyclase isoform with a half-molecule motif, J Biol Chem 268 (1993) 2273-2276.
- [45] Y. Ogawa, J. Kawabe, K. Morita, T. Harada, T. Hirayama, A. Takeda, K. Tobise, S. Onodera, Role of endothelium in hypoxia-induced contraction of isolated rat pulmonary artery, Jpn J Pharmacol 58 Suppl 2 (1992) 325P.
- [46] J. Kawabe, Y. Ohsaki, S. Onodera, Down-regulation of protein kinase C potentiates atrial natriuretic peptide-stimulated cGMP accumulation in vascular smooth-muscle cells, Biochim Biophys Acta 1175 (1992) 81-87.
- [47] S. Katsushika, L. Chen, J. Kawabe, R. Nilakantan, N.J. Halnon, C.J. Homcy, Y. Ishikawa, Cloning and characterization of a sixth adenylyl cyclase isoform: types V and VI constitute a subgroup within the mammalian adenylyl cyclase family, Proc Natl Acad Sci U S A 89 (1992) 8774-8778.
- [48] Y. Ishikawa, S. Katsushika, L. Chen, N.J. Halnon, J. Kawabe, C.J. Homcy, Isolation and characterization of a novel cardiac adenylylcyclase cDNA, J Biol Chem 267 (1992) 13553-13557.

競争的研究資金 (2004 帰国後から 2019 現在)

(1) (公的機関) 太字=代表者

文科省科学研究基盤研究助成 C (①2005-2007, ② 2006-2008, ③ 2009-2010, ④2010-2012, ⑤2010-2012, ⑥2011-2012,
⑦2013-2015, ⑧2018-2020)

科学技術振興機構 (JST) 研究 (①2009-2010, ②2011-2012, ③ 2014-2015)

文科省科学研究基盤研究助成 B (①2017-2019, ②2018-2020)

文科省科学研究挑戦的萌芽研究 (①2017-2019)

(2) (主な民間研究助成、共同研究など) すべて代表者

秋山記念生命科学財団 (2006, 2011)

寿原記念財団 (2008)

先進医療研究振興財団 (2010)

共同研究助成 (アスピオファーマ株式会社) (2012-2016)

産学連携 Oide AMU プロジェクト (2016-2018)

(Oide CapiSEA 株式会社)

(3) (所属する若手研究者の研究獲得の指導!)

文科省科学研究 若手研究 (B)

① 中川直樹 (2008-2010)

② 山内敦司 (2014-2016)

③ 鹿原真樹 (2015-2016)

④ (2017-2019)

⑤ 吉田有里 (2018-2020)

⑥ 鹿野耕平 (2019-2021)

⑦ 早坂太希 (2019-2021)

⑧ 篠島暁帆 (2019-2021)

⑨ 富田 唯 (2019-2021)

知的財産など (2004 帰国後から 2019 現在)

(1) 内皮前駆細胞の増殖・分化誘導法

(特願申請 2007-281161)

(2) Ape1 遺伝子導入による高機能化幹細胞・前駆細胞

(特許取得 5880876)

(国際特許出願 PCT/JP2011-11816235)

(3) 末梢組織の毛細血管構成細胞の不死化細胞株

(特願申請 2012-151601)

(4) 毛細血管由来幹細胞 その用途および製造方法

(特許申請 2015-151601)

(国際特許出願 PCT/JP2016-072259)